



April 17, 2001

Rocol Lubricants  
Attn: Dr. Bill Hopkins  
Rocol House, Swillington  
Leeds, Yorkshire LS26 8BS  
ENGLAND

RE: FOODLUBE HI-TORQUE 150  
Category Code: H1  
NSF Registration No. 121604

Dear Dr. Hopkins,

NSF has processed the application for Registration of **FOODLUBE HI-TORQUE 150** to *the NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2000)*, which are available at [www.nsf.org/usda](http://www.nsf.org/usda). The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements for appropriate use, ingredient review and labeling verification.

This product is acceptable as a **lubricant with incidental food contact (H1)** for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance, which could be transferred, to food being processed.

**This product is NSF Registered when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF approved product label.** The NSF Registration Mark can be downloaded from the NSF website, at [http://www.nsf.org/mark/download\\_marks.html](http://www.nsf.org/mark/download_marks.html).

Registration of compounds by NSF International is in no way to be construed as an endorsement of the compounds, appropriate selection for use, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at <http://www.nsf.org/usda>. Changes in the formulation or label, without prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink that reads 'Kenji Yano'.

Kenji Yano, Ph.D.  
NSF Nonfood Compounds Registration and Listing Program



**NSF International / Nonfood Compounds Registration Program**

April 18, 2001

ROCOL LUBRICANTS  
Attn: Dr. Bill Hopkins  
ROCOL House, Swillington  
Leeds, Yorkshire LS26 8BS  
England

RE: FOODLUBE HI-TORQUE 220  
Category Code: H1  
NSF Registration No. 122073

Dear Dr. Bill Hopkins,

NSF has processed the application for Registration of **FOODLUBE HI-TORQUE 220** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2000)*, which are available at [www.nsf.org/usda](http://www.nsf.org/usda). The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements for appropriate use, ingredient review and labeling verification.

This product is acceptable as a **lubricant with incidental food contact (H1)** for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance, which could be transferred, to food being processed.

**This product is NSF Registered when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF approved product label.** The NSF Registration Mark can be downloaded from the NSF website, at [http://www.nsf.org/mark/download\\_marks.html](http://www.nsf.org/mark/download_marks.html).

Registration of compounds by NSF International is in no way to be construed as an endorsement of the compounds, appropriate selection for use, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at <http://www.nsf.org/usda>. Changes in the formulation or label, without prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink that reads 'Kenji Yano' in a cursive script.

Kenji Yano, Ph.D.  
NSF Nonfood Compounds Registration and Listing Program



April 18, 2001

ROCOL LUBRICANTS  
Attn: Dr. Bill Hopkins  
ROCOL House, Swillington  
Leeds, Yorkshire LS26 8BS  
England

RE: FOODLUBE HI-TORQUE 320  
Category Code: H1  
NSF Registration No. 122072

Dear Dr. Bill Hopkins,

NSF has processed the application for Registration of **FOODLUBE HI-TORQUE 320** to *the NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2000)*, which are available at [www.nsf.org/usda](http://www.nsf.org/usda). The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements for appropriate use, ingredient review and labeling verification.

This product is acceptable as a **lubricant with incidental food contact (H1)** for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance, which could be transferred, to food being processed.

**This product is NSF Registered when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF approved product label.** The NSF Registration Mark can be downloaded from the NSF website, at [http://www.nsf.org/mark/download\\_marks.html](http://www.nsf.org/mark/download_marks.html).

Registration of compounds by NSF International is in no way to be construed as an endorsement of the compounds, appropriate selection for use, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at <http://www.nsf.org/usda>. Changes in the formulation or label, without prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink that reads 'Kenji Yano'.

Kenji Yano, Ph.D.  
NSF Nonfood Compounds Registration and Listing Program



**NSF International / Nonfood Compounds Registration Program**

April 18, 2001

ROCOL LUBRICANTS  
Attn: Dr. Bill Hopkins  
ROCOL House, Swillington  
Leeds, Yorkshire LS26 8BS  
England

RE: FOODLUBE HI-TORQUE 460  
Category Code: H1  
NSF Registration No. 122071

Dear Dr. Bill Hopkins,

NSF has processed the application for Registration of **FOODLUBE HI-TORQUE 460** to *the NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2000)*, which are available at [www.nsf.org/usda](http://www.nsf.org/usda). The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements for appropriate use, ingredient review and labeling verification.

This product is acceptable as a **lubricant with incidental food contact (H1)** for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance, which could be transferred, to food being processed.

**This product is NSF Registered when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF approved product label.** The NSF Registration Mark can be downloaded from the NSF website, at [http://www.nsf.org/mark/download\\_marks.html](http://www.nsf.org/mark/download_marks.html).

Registration of compounds by NSF International is in no way to be construed as an endorsement of the compounds, appropriate selection for use, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at <http://www.nsf.org/usda>. Changes in the formulation or label, without prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink that reads 'Kenji Yano'.

Kenji Yano, Ph.D.  
NSF Nonfood Compounds Registration and Listing Program